



152512950049

正本

检测报告

TEST REPORT

报告编号

YNZKBG20220314022

Report No

项目名称

大理丰顺医疗废物处置有限公司 2022 年 3 月份自行监测

Name

委托单位

大理丰顺医疗废物处置有限公司

Client

项目地址

大理州大理市下关镇吊草村大风坝垃圾处理场以西

Address

样品类别

空气和废气

Type

编制:

Compiled by

审核:

Inspected by

签发:

Approved by

签发日期:

Approved Date

李雪梅
董翔东
检测专用章
stt
2022 年 03 月 14 日
Y M D

云南中科检测技术有限公司

Yunnan Sino-sci Testing Tech. Co, LTD

报告日期 2022 年 03 月 14 日

Report Date Y M D

声 明

Introduction

1.报告无“CMA 资质认定章”和检测单位“检测专用章”及“骑缝章”无效。

This report no seal on the perforation and CMA qualification certification seal and special seal for testing is invalid.

2.报告无编制人、审核人、签发人签名无效，报告经涂改无效。

This report without prepare people signature, audit staff signature, approver signature is invalid, The report by alter is invalid.

3.报告未经本机构批准，不得复制（全文复制除外）本报告或证书。

This report or certificate can't be copied (except in full) without the approval of the agency .

4.对委托人送检的样品进行检测的，检测报告对样品所检项目的符合性情况负责，送样样品的代表性和真实性由委托人负责；除委托方特别声明并支付样品管理费以外，所有样品超过标准或技术规范要求的时效性均不再留样。

If the sample submitted by the client is tested, the test report shall be responsible for the conformity of the items tested by the sample, and the client shall be responsible for the representativeness and authenticity of the sample submitted; Unless the entrusting party makes a special statement and pays the sample management fee, the timeliness of all samples exceeding the requirements of standards or technical specifications will not be retained.

5.报告未经检测单位同意不得用于广告，商品宣传等商业行为。

This report without the consent of the testing organization shall not be used for advertising, advertising products such as business practices.

6.委托方如对本检测报告有任何异议，请于收到报告之日起十五日内向本公司提出申请，逾期不申请的，视为认可本检测报告。

If the client has any objection to the test report, please apply to the company within 15 days from the date of receiving the report. If the client fails to apply within the time limit, it shall be deemed to have approved the test report.

地 址： 云南省昆明经济技术开发区云大西路 39 号新兴产业孵化区 3 幢 3 层厂房
Address: The 3-story factory Building, 3 Building, Emerging Industry Incubation Zone, No.39 Yunda West Road, Kunming Economic and Technological Development Zone, Yunnan Province.

邮 编： 650500

Postcode ID:

电 话： 0871-63852008

Telephone No:

传 真： 0871-63802005

Fax No:

网 址： www.sttynzk.com

Website:

1.检测信息

表 1 检测信息

客户基本情况										
委托单位信息			单位名称		大理丰顺医疗废物处置有限公司					
			通讯地址		大理州大理市下关镇吊草村大风坝垃圾处理场以西					
			联系人		姚燮林		联系电话		13987202591	
受检单位信息			单位名称		大理丰顺医疗废物处置有限公司					
			通讯地址		大理州大理市下关镇吊草村大风坝垃圾处理场以西					
			联系人		姚燮林		联系电话		13987202591	
样品基本情况										
样品类别	样品名称	采样点位	采样频次		采样人员	采样时间	收样人员	收样时间	分析时间	样品状态描述
			天数	次/天						
空气和废气	有组织排放废气	A1：焚烧炉烟囱排口	1	3	李海棋 李雄磊	2022.03.09	吕梦林	2022.03.10	2022.03.10- 2022.03.11	——

2.生产工单编号、检测类别、项目、方法、设备

表 2 检测分析及主要仪器设备一览表

生产工单编号	样品类别	检测项目	检测方法	检测和分析设备	仪器编号	分析人员	最低检出限
YNZKSC 20220304021	空气和废气	镉	HJ 657-2013 及修改单 空气和废气 颗粒物中铅等金属元素的测定 电感耦合等离子体质谱法	ICAP RQ ICP-MS	STT-YNZK-FX149	杨泽军	0.008μg/m³
		镍					0.1μg/m³
		锰					0.07μg/m³
		铈					0.008μg/m³
		砷					0.2μg/m³
		铅		ZR-3260 自动烟尘烟气综合测试仪	STT-YNZK-XC312		0.2μg/m³
		锑					0.02μg/m³
		铜					0.2μg/m³
		铬					0.3μg/m³
		锡					0.3μg/m³
		汞	HJ 543-2009 固定污染源废气 汞的测定 冷原子吸收分光光度法（暂行）	F732-VJ 冷原子吸收测汞仪	STT-YNZK-FX173		0.0025mg/m³
				ZR-3260 自动烟尘烟气综合测试仪	STT-YNZK-XC312		
				ZR-3710 双路烟气采样器	STT-YNZK-XC431		



3.检测结果

表 3 有组织排放废气检测结果表

NO.1

检测项目	采样点位	采样日期	检测编号	排气筒高度 (m)	烟气参数						检测结果		
					流速 (m/s)	烟温 (℃)	静压 (kPa)	含湿量 (%)	含氧量 (%)	标干流量 (m³/h)	实测浓度 (mg/m³)	排放浓度 (mg/m³)	排放速率 (kg/h)
镉	A1：焚烧炉烟 囱排口	2022.03.09	YNZKSC 20220304021-A004	35	6.4	126.4	-0.06	8.46	12.8	5453	8×10 ⁻⁶ L	8×10 ⁻⁶ L	2.18×10 ⁻⁸
			YNZKSC 20220304021-A005		6.8	127.9	-0.07	8.16	13.1	5790	8×10 ⁻⁶ L	8×10 ⁻⁶ L	2.32×10 ⁻⁸
			YNZKSC 20220304021-A006		6.1	123.8	-0.05	7.82	12.3	5268	8×10 ⁻⁶ L	8×10 ⁻⁶ L	2.11×10 ⁻⁸
			平均值		6.4	126.0	-0.06	8.15	12.7	5504	8×10 ⁻⁶ L	8×10 ⁻⁶ L	2.20×10 ⁻⁸
YNZKSC 20220304021-A004			6.4		126.4	-0.06	8.46	12.8	5453	1×10 ⁻⁴ L	1×10 ⁻⁴ L	2.73×10 ⁻⁷	
YNZKSC 20220304021-A005		6.8	127.9		-0.07	8.16	13.1	5790	1×10 ⁻⁴ L	1×10 ⁻⁴ L	2.90×10 ⁻⁷		
YNZKSC 20220304021-A006		6.1	123.8		-0.05	7.82	12.3	5268	1×10 ⁻⁴ L	1×10 ⁻⁴ L	2.63×10 ⁻⁷		
平均值		6.4	126.0		-0.06	8.15	12.7	5504	1×10 ⁻⁴ L	1×10 ⁻⁴ L	2.75×10 ⁻⁷		
备注		1.采样方法依据：GB/T 16157-1996 固定污染源排放气中颗粒物测定与气态污染物采样方法及修改单； 2.排放浓度折算公式为 $C_{基}=C_{实} \times (21-O_{基}) / (21-O_{实})$ ，其中基准含氧量百分率为 11； 3. “检出限+L” 表示检测结果低于方法检出限，进行计算时采用检出限值的二分之一。											



检测项目	采样点位	采样日期	检测编号	排气筒高度 (m)	烟气参数						检测结果		
					流速 (m/s)	烟温 (℃)	静压 (kPa)	含湿量 (%)	含氧量 (%)	标干流量 (m³/h)	实测浓度 (mg/m³)	排放浓度 (mg/m³)	排放速率 (kg/h)
锰	A1: 焚烧炉烟 囱排口	2022.03.09	YNZKSC 20220304021-A004	35	6.4	126.4	-0.06	8.46	12.8	5453	7×10 ⁻⁵ L	7×10 ⁻⁵ L	1.91×10 ⁻⁷
			YNZKSC 20220304021-A005		6.8	127.9	-0.07	8.16	13.1	5790	7×10 ⁻⁵ L	7×10 ⁻⁵ L	2.03×10 ⁻⁷
			YNZKSC 20220304021-A006		6.1	123.8	-0.05	7.82	12.3	5268	7×10 ⁻⁵ L	7×10 ⁻⁵ L	1.84×10 ⁻⁷
			平均值		6.4	126.0	-0.06	8.15	12.7	5504	7×10 ⁻⁵ L	7×10 ⁻⁵ L	1.93×10 ⁻⁷
铊			YNZKSC 20220304021-A004		6.4	126.4	-0.06	8.46	12.8	5453	8×10 ⁻⁶ L	8×10 ⁻⁶ L	2.18×10 ⁻⁸
			YNZKSC 20220304021-A005		6.8	127.9	-0.07	8.16	13.1	5790	8×10 ⁻⁶ L	8×10 ⁻⁶ L	2.32×10 ⁻⁸
			YNZKSC 20220304021-A006		6.1	123.8	-0.05	7.82	12.3	5268	8×10 ⁻⁶ L	8×10 ⁻⁶ L	2.11×10 ⁻⁸
			平均值		6.4	126.0	-0.06	8.15	12.7	5504	8×10 ⁻⁶ L	8×10 ⁻⁶ L	2.20×10 ⁻⁸
备 注	1.采样方法依据：GB/T 16157-1996 固定污染源排放气中颗粒物测定与气态污染物采样方法及修改单； 2.排放浓度折算公式为 $C_{基}=C_{实} \times (21-O_{基}) / (21-O_{实})$ ，其中基准含氧量百分率为 11； 3.“检出限+L”表示检测结果低于方法检出限，进行计算时采用检出限值的二分之一。												

检测项目	采样点位	采样日期	检测编号	排气筒高度 (m)	烟气参数						检测结果		
					流速 (m/s)	烟温 (℃)	静压 (kPa)	含湿量 (%)	含氧量 (%)	标干流量 (m³/h)	实测浓度 (mg/m³)	排放浓度 (mg/m³)	排放速率 (kg/h)
砷	A1: 焚烧炉烟 囱排口	2022.03.09	YNZKSC 20220304021-A004	35	6.4	126.4	-0.06	8.46	12.8	5453	2×10 ⁻⁴ L	2×10 ⁻⁴ L	5.45×10 ⁻⁷
			YNZKSC 20220304021-A005		6.8	127.9	-0.07	8.16	13.1	5790	2×10 ⁻⁴ L	2×10 ⁻⁴ L	5.79×10 ⁻⁷
			YNZKSC 20220304021-A006		6.1	123.8	-0.05	7.82	12.3	5268	2×10 ⁻⁴ L	2×10 ⁻⁴ L	5.27×10 ⁻⁷
			平均值		6.4	126.0	-0.06	8.15	12.7	5504	2×10 ⁻⁴ L	2×10 ⁻⁴ L	5.50×10 ⁻⁷
铅			YNZKSC 20220304021-A004		6.4	126.4	-0.06	8.46	12.8	5453	2×10 ⁻⁴ L	2×10 ⁻⁴ L	5.45×10 ⁻⁷
			YNZKSC 20220304021-A005		6.8	127.9	-0.07	8.16	13.1	5790	2×10 ⁻⁴ L	2×10 ⁻⁴ L	5.79×10 ⁻⁷
			YNZKSC 20220304021-A006		6.1	123.8	-0.05	7.82	12.3	5268	2×10 ⁻⁴ L	2×10 ⁻⁴ L	5.27×10 ⁻⁷
			平均值		6.4	126.0	-0.06	8.15	12.7	5504	2×10 ⁻⁴ L	2×10 ⁻⁴ L	5.50×10 ⁻⁷
备 注	1.采样方法依据：GB/T 16157-1996 固定污染源排放气中颗粒物测定与气态污染物采样方法及修改单； 2.排放浓度折算公式为 C _基 =C _实 ×（21-O _基 ）/（21-O _实 ），其中基准含氧量百分率为 11； 3.“检出限+L”表示检测结果低于方法检出限，进行计算时采用检出限值的二分之一。												



检测项目	采样点位	采样日期	检测编号	排气筒高度 (m)	烟气参数						检测结果		
					流速 (m/s)	烟温 (℃)	静压 (kPa)	含湿量 (%)	含氧量 (%)	标干流量 (m³/h)	实测浓度 (mg/m³)	排放浓度 (mg/m³)	排放速率 (kg/h)
镉	A1: 焚烧炉烟 囱排口	2022.03.09	YNZKSC 20220304021-A004	35	6.4	126.4	-0.06	8.46	12.8	5453	2×10 ⁻⁵ L	2×10 ⁻⁵ L	5.45×10 ⁻⁸
			YNZKSC 20220304021-A005		6.8	127.9	-0.07	8.16	13.1	5790	2×10 ⁻⁵ L	2×10 ⁻⁵ L	5.79×10 ⁻⁸
			YNZKSC 20220304021-A006		6.1	123.8	-0.05	7.82	12.3	5268	2×10 ⁻⁵ L	2×10 ⁻⁵ L	5.27×10 ⁻⁸
			平均值		6.4	126.0	-0.06	8.15	12.7	5504	2×10 ⁻⁵ L	2×10 ⁻⁵ L	5.50×10 ⁻⁸
铜			YNZKSC 20220304021-A004		6.4	126.4	-0.06	8.46	12.8	5453	2×10 ⁻⁴ L	2×10 ⁻⁴ L	5.45×10 ⁻⁷
			YNZKSC 20220304021-A005		6.8	127.9	-0.07	8.16	13.1	5790	2×10 ⁻⁴ L	2×10 ⁻⁴ L	5.79×10 ⁻⁷
			YNZKSC 20220304021-A006		6.1	123.8	-0.05	7.82	12.3	5268	2×10 ⁻⁴ L	2×10 ⁻⁴ L	5.27×10 ⁻⁷
			平均值		6.4	126.0	-0.06	8.15	12.7	5504	2×10 ⁻⁴ L	2×10 ⁻⁴ L	5.50×10 ⁻⁷
备 注	1.采样方法依据：GB/T 16157-1996 固定污染源排放气中颗粒物测定与气态污染物采样方法及修改单； 2.排放浓度折算公式为 $C_{基}=C_{实} \times (21-O_{基}) / (21-O_{实})$ ，其中基准含氧量百分率为 11； 3.“检出限+L”表示检测结果低于方法检出限，进行计算时采用检出限值的二分之一。												

检测项目	采样点位	采样日期	检测编号	排气筒高度 (m)	烟气参数						检测结果		
					流速 (m/s)	烟温 (℃)	静压 (kPa)	含湿量 (%)	含氧量 (%)	标干流量 (m³/h)	实测浓度 (mg/m³)	排放浓度 (mg/m³)	排放速率 (kg/h)
铬	A1：焚烧炉烟 囱排口	2022.03.09	YNZKSC 20220304021-A004	35	6.4	126.4	-0.06	8.46	12.8	5453	3×10 ⁻⁴ L	3×10 ⁻⁴ L	8.18×10 ⁻⁷
			YNZKSC 20220304021-A005		6.8	127.9	-0.07	8.16	13.1	5790	3×10 ⁻⁴ L	3×10 ⁻⁴ L	8.69×10 ⁻⁷
			YNZKSC 20220304021-A006		6.1	123.8	-0.05	7.82	12.3	5268	3×10 ⁻⁴ L	3×10 ⁻⁴ L	7.90×10 ⁻⁷
			平均值		6.4	126.0	-0.06	8.15	12.7	5504	3×10 ⁻⁴ L	3×10 ⁻⁴ L	8.26×10 ⁻⁷
锡			YNZKSC 20220304021-A004		6.4	126.4	-0.06	8.46	12.8	5453	3×10 ⁻⁴ L	3×10 ⁻⁴ L	8.18×10 ⁻⁷
			YNZKSC 20220304021-A005		6.8	127.9	-0.07	8.16	13.1	5790	3×10 ⁻⁴ L	3×10 ⁻⁴ L	8.69×10 ⁻⁷
			YNZKSC 20220304021-A006		6.1	123.8	-0.05	7.82	12.3	5268	3×10 ⁻⁴ L	3×10 ⁻⁴ L	7.90×10 ⁻⁷
			平均值		6.4	126.0	-0.06	8.15	12.7	5504	3×10 ⁻⁴ L	3×10 ⁻⁴ L	8.26×10 ⁻⁷
备 注	1.采样方法依据：GB/T 16157-1996 固定污染源排放气中颗粒物测定与气态污染物采样方法及修改单； 2.排放浓度折算公式为 $C_{基}=C_{实} \times (21-O_{基}) / (21-O_{实})$ ，其中基准含氧量百分率为 11； 3.“检出限+L”表示检测结果低于方法检出限，进行计算时采用检出限值的二分之一。												

检测项目	采样点位	采样日期	检测编号	排气筒高度 (m)	烟气参数						检测结果		
					流速 (m/s)	烟温 (℃)	静压 (kPa)	含湿量 (%)	含氧量 (%)	标干流量 (m³/h)	实测浓度 (mg/m³)	排放浓度 (mg/m³)	排放速率 (kg/h)
汞	A1：焚烧炉烟 囱排口	2022.03.09	YNZKSC 20220304021-A001	35	6.4	126.4	-0.06	8.46	12.8	5453	2.6×10 ⁻³	3.2×10 ⁻³	1.42×10 ⁻⁵
			YNZKSC 20220304021-A002		6.8	127.9	-0.07	8.16	13.1	5790	2.6×10 ⁻³	3.3×10 ⁻³	1.51×10 ⁻⁵
			YNZKSC 20220304021-A003		6.1	123.8	-0.05	7.82	12.3	5268	2.8×10 ⁻³	3.2×10 ⁻³	1.48×10 ⁻⁵
			平均值		6.4	126.0	-0.06	8.15	12.7	5504	2.7×10 ⁻³	3.2×10 ⁻³	1.47×10 ⁻⁵
备 注	1.采样方法依据：GB/T 16157-1996 固定污染源排放气中颗粒物测定与气态污染物采样方法及修改单； 2.排放浓度折算公式为 $C_{基}=C_{实} \times (21-O_{基}) / (21-O_{实})$ ，其中基准含氧量百分率为 11。												

报告结束

附图:

大理丰顺医疗废物处置有限公司 2022 年 3 月份自行监测点位图



