



检测报告

152512050049

TEST REPORT

报告编号

YNZKBG20240805024-5

Report No

项目名称

大理丰顺医疗废物处置有限公司 2024 年三季度比对监测

Name

委托单位

大理丰顺医疗废物处置有限公司

Client

项目地址

大理州大理市下关镇吊草村大风坝垃圾处理场以西

Address

样品类别

空气和废气

Type

编制:

Compiled by

李勇杰

校核:

Proofread check

审核:

Inspected by

马江

签发:

Approved by

签发日期:

2024 年 08 月 05 日

Approved Date

Y M D

云南中科检测技术有限公司
Yunnan Sino-sci Testing Tech. Co, LTD

报告日期: 2024 年 08 月 05 日

Report Date Y M D

声 明

Introduction

1.报告无“CMA 资质认定章”和检测单位“检测专用章”及“骑缝章”无效。

This report no seal on the perforation and CMA qualification certification seal and special seal for testing is invalid.

2.报告无编制人、审核人、签发人签名无效，报告经涂改无效。

This report without prepare people signature, audit staff signature, approver signature is invalid. The report by alter is invalid.

3.报告未经本机构批准，不得复制（全文复制除外）本报告或证书。

This report or certificate can't be copied (except in full) without the approval of the agency.

4.对委托人送检的样品进行检测的，检测报告对样品所检项目的符合性情况负责，送样样品的代表性和真实性由委托人负责；除委托方特别声明并支付样品管理费以外，所有样品超过标准或技术规范要求的时效性均不再留样。

If the sample submitted by the client is tested, the test report shall be responsible for the conformity of the items tested by the sample, and the client shall be responsible for the representativeness and authenticity of the sample submitted; Unless the entrusting party makes a special statement and pays the sample management fee, the timeliness of all samples exceeding the requirements of standards or technical specifications will not be retained.

5.委托方应对提供的检测相关信息的完整性、真实性、准确性负责。本公司实施的所有检测行为以及提供的相关报告以委托方提供的信息为前提，当委托方提供的信息可能影响结果的有效性时，本公司不承担由此引起的任何责任。

The entrusting party shall be responsible for the completeness, authenticity and accuracy of the testing related information provided. All testing behaviors and related reports provided by our company are based on the information provided by the entrusting party. When the information provided by the entrusting party may affect the effectiveness of the results, our company will not assume any responsibilities arising therefrom.

6.报告未经检测单位同意不得用于广告，商品宣传等商业行为。

This report without the consent of the testing organization shall not be used for advertising, advertising products such as business practices.

7.委托方如对本检测报告有任何异议，请于收到报告之日起十五日内向本公司提出申请，逾期不申请的，视为认可本检测报告。

If the client has any objection to the test report, please apply to the company within 15 days from the date of receiving the report. If the client fails to apply within the time limit, it shall be deemed to have approved the test report.

地 址： 云南省昆明经济技术开发区云大西路 39 号新兴产业孵化区 3 幢 3 层厂房
Address: The 3-story factory Building, 3 Building, Emerging Industry Incubation Zone, No.39 Yunda West Road, Kunming Economic and Technological Development Zone, Yunnan Province.

邮 编： 650500

Postcode ID:

电 话： 0871-63852008

Telephone No:

传 真： 0871-63802005

Fax No:

网 址： www.sttynzk.com

Website:

1.企业生产情况

表 1 企业工况

生产工单编号	主要产品名称	实际生产能力	监测期间 生产能力	监测期间运行情况	运行负荷
YNZKSC 20240715002	医废处理	2919.711 吨/年	4.532 吨/天	正常	43.4%
	医废处理	2919.711 吨/年	8.71 吨/天	正常	83.5%
	医废处理	2919.711 吨/年	8.129 吨/天	正常	78%

2.检测信息

表 2 检测信息

客户基本情况										
委托单位信息	单位名称	大理丰顺医疗废物处置有限公司								
	通讯地址	大理州大理市下关镇吊草村大风坝垃圾处理场以西								
	联系人	姚燮林	联系电话	13987202591						
受检单位信息	单位名称	大理丰顺医疗废物处置有限公司								
	通讯地址	大理州大理市下关镇吊草村大风坝垃圾处理场以西								
	联系人	姚燮林	联系电话	13987202591						
样品基本情况										
样品类别	样品名称	采样点位	采样频次		采样人员	采样时间	收样人员	收样时间	分析时间	样品状态描述
			天数	次/天						
空气和废气	有组织排放废气	A2：焚烧炉烟囱排口	1	9	李光辉 王星宝	2024.07.22	张晓川	2024.07.23	2024.07.23- 2024.07.25	——

3.生产工单编号、检测类别、项目、方法、设备

表 3 检测分析方法及主要仪器设备一览表

生产工单编号	样品类别	检测项目	检测方法	检测和分析设备	仪器编号	分析人员	检出限/ 最低检测质 量浓度
YNZKSC 20240715002	空气和废气	颗粒物	固定污染源废气 低浓度颗粒物的测定 重量法 HJ 836-2017	ESJ30-5B 电子天平	YNZK-FX106	杨婷	1.0mg/m ³
				HSX-350 恒温恒湿称重系统	YNZK-FX081		
				ZR-3260 自动烟尘烟气综合测试仪	YNZK-XC505		
		二氧化硫	固定污染源废气 二氧化硫的测定 定电位电解法 HJ 57-2017	ZR-3260 自动烟尘烟气综合测试仪	YNZK-XC505	李光辉 王星宝	3mg/m ³
		氮氧化物	固定污染源废气 氮氧化物的测定 定电位电解法 HJ 693-2014				3mg/m ³
		一氧化碳	固定污染源废气 一氧化碳的测定 定电位电解法 HJ 973-2018				3mg/m ³
		氯化氢	固定污染源排气中氯化氢的测定 硫氰酸汞分光光度法 HJ/T 27-1999	SP-752 紫外可见分光光度计	YNZK-FX007	杨情	0.9mg/m ³
				ZR-3260 自动烟尘烟气综合测试仪	YNZK-XC505		
				ZR-3712 智能双路烟气采样器	YNZK-XC320		

4.检测结果

表 4 有组织排放废气检测结果表

检测项目	采样点位	采样日期	采样时段	样品编号	排气筒 高度 (m)	烟气参数						检测结果
						流速 (m/s)	烟温 (℃)	静压 (kPa)	含湿量 (%)	含氧量 (%)	标干流量 (m³/h)	实测浓度 (mg/m³)
颗粒物	A2：焚烧炉 烟囱排口	2024.07.22	08:30-09:00	YNZKSC 20240715002-A037	35	15.3	130.3	-0.08	4.73	11.8	5245	12.1
			09:10-09:40	YNZKSC 20240715002-A038		15.4	131.2	-0.07	4.76	10.9	5267	15.6
			09:50-10:20	YNZKSC 20240715002-A039		16.2	131.8	-0.07	4.81	11.0	5522	13.4
			10:30-11:00	YNZKSC 20240715002-A040		14.7	130.2	-0.06	4.36	9.9	5055	6.9
			11:10-11:40	YNZKSC 20240715002-A041		14.1	129.1	-0.06	4.60	10.7	4843	7.0
			12:00-12:30	YNZKSC 20240715002-A042		14.1	129.0	-0.07	4.97	11.3	4825	6.2
			13:10-13:40	YNZKSC 20240715002-A043		13.6	128.4	-0.05	5.22	10.8	4650	6.4
			13:50-14:20	YNZKSC 20240715002-A044		16.7	133.2	-0.07	4.86	10.2	5663	7.5
			15:00-15:30	YNZKSC 20240715002-A045		15.6	134.0	-0.06	4.82	12.3	5282	8.8
			平均值			15.1	130.8	-0.07	4.79	11.0	5150	9.3

NO.1

NO.2												
检测项目	采样点位	采样日期	采样时段	样品编号	排气筒高度 (m)	烟气参数						检测结果
						流速 (m/s)	烟温 (℃)	静压 (kPa)	含湿量 (%)	含氧量 (%)	标干流量 (m³/h)	实测浓度 (mg/m³)
二氧化硫	A2：焚烧炉 烟囱排口	2024.07.22	08:35-08:45	YNZKSC 20240715002-A037	35	15.3	130.3	-0.08	4.73	11.8	5245	57
			09:15-09:25	YNZKSC 20240715002-A038		15.4	131.2	-0.07	4.76	10.9	5267	20
			09:55-10:05	YNZKSC 20240715002-A039		16.2	131.8	-0.07	4.81	11.0	5522	30
			10:35-10:45	YNZKSC 20240715002-A040		14.7	130.2	-0.06	4.36	9.9	5055	65
			11:15-11:25	YNZKSC 20240715002-A041		14.1	129.1	-0.06	4.60	10.7	4843	26
			12:05-12:15	YNZKSC 20240715002-A042		14.1	129.0	-0.07	4.97	11.3	4825	11
			13:15-13:25	YNZKSC 20240715002-A043		13.6	128.4	-0.05	5.22	10.8	4650	56
			13:55-14:05	YNZKSC 20240715002-A044		16.7	133.2	-0.07	4.86	10.2	5663	77
			15:05-15:15	YNZKSC 20240715002-A045		15.6	134.0	-0.06	4.82	12.3	5282	39
			平均值			15.1	130.8	-0.07	4.79	11.0	5150	42

NO.3												
检测项目	采样点位	采样日期	采样时段	样品编号	排气筒高度 (m)	烟气参数						检测结果
						流速 (m/s)	烟温 (℃)	静压 (kPa)	含湿量 (%)	含氧量 (%)	标干流量 (m³/h)	实测浓度 (mg/m³)
氮氧化物	A2：焚烧炉 烟囱排口	2024.07.22	08:35-08:45	YNZKSC 20240715002-A037	35	15.3	130.3	-0.08	4.73	11.8	5245	111
			09:15-09:25	YNZKSC 20240715002-A038		15.4	131.2	-0.07	4.76	10.9	5267	127
			09:55-10:05	YNZKSC 20240715002-A039		16.2	131.8	-0.07	4.81	11.0	5522	168
			10:35-10:45	YNZKSC 20240715002-A040		14.7	130.2	-0.06	4.36	9.9	5055	161
			11:15-11:25	YNZKSC 20240715002-A041		14.1	129.1	-0.06	4.60	10.7	4843	123
			12:05-12:15	YNZKSC 20240715002-A042		14.1	129.0	-0.07	4.97	11.3	4825	174
			13:15-13:25	YNZKSC 20240715002-A043		13.6	128.4	-0.05	5.22	10.8	4650	156
			13:55-14:05	YNZKSC 20240715002-A044		16.7	133.2	-0.07	4.86	10.2	5663	180
			15:05-15:15	YNZKSC 20240715002-A045		15.6	134.0	-0.06	4.82	12.3	5282	75
			平均值			15.1	130.8	-0.07	4.79	11.0	5150	142

NO.4													
检测项目	采样点位	采样日期	采样时段	样品编号	排气筒高度 (m)	烟气参数						检测结果	
						流速 (m/s)	烟温 (℃)	静压 (kPa)	含湿量 (%)	含氧量 (%)	标干流量 (m³/h)	实测浓度 (mg/m³)	
一氧化碳	A2：焚烧炉 烟囱排口	2024.07.22	08:35-08:45	YNZKSC 20240715002-A037	35	15.3	130.3	-0.08	4.73	11.8	5245	6	
			09:15-09:25	YNZKSC 20240715002-A038		15.4	131.2	-0.07	4.76	10.9	5267	5	
			09:55-10:05	YNZKSC 20240715002-A039		16.2	131.8	-0.07	4.81	11.0	5522	5	
			10:35-10:45	YNZKSC 20240715002-A040		14.7	130.2	-0.06	4.36	9.9	5055	4	
			11:15-11:25	YNZKSC 20240715002-A041		14.1	129.1	-0.06	4.60	10.7	4843	4	
			12:05-12:15	YNZKSC 20240715002-A042		14.1	129.0	-0.07	4.97	11.3	4825	4	
			13:15-13:25	YNZKSC 20240715002-A043		13.6	128.4	-0.05	5.22	10.8	4650	4	
			13:55-14:05	YNZKSC 20240715002-A044		16.7	133.2	-0.07	4.86	10.2	5663	35	
			15:05-15:15	YNZKSC 20240715002-A045		15.6	134.0	-0.06	4.82	12.3	5282	17	
			平均值			15.1	130.8	-0.07	4.79	11.0	5150	9	



NO.1													
检测项目	采样点位	采样日期	采样时段	样品编号	排气筒高度 (m)	烟气参数						检测结果	
						流速 (m/s)	烟温 (℃)	静压 (kPa)	含湿量 (%)	含氧量 (%)	标干流量 (m³/h)	实测浓度 (mg/m³)	
氯化氢	A2：焚烧炉 烟囱排口	2024.07.22	08:30-09:00	YNZKSC 20240715002-A046	35	15.3	130.3	-0.08	4.73	11.8	5245	5.1	
			09:10-09:40	YNZKSC 20240715002-A047		15.4	131.2	-0.07	4.76	10.9	5267	5.0	
			09:50-10:20	YNZKSC 20240715002-A048		16.2	131.8	-0.07	4.81	11.0	5522	4.9	
			10:30-11:00	YNZKSC 20240715002-A049		14.7	130.2	-0.06	4.36	9.9	5055	5.2	
			11:10-11:40	YNZKSC 20240715002-A050		14.1	129.1	-0.06	4.60	10.7	4843	4.3	
			12:00-12:30	YNZKSC 20240715002-A051		14.1	129.0	-0.07	4.97	11.3	4825	1.6	
			13:10-13:40	YNZKSC 20240715002-A052		13.6	128.4	-0.05	5.22	10.8	4650	23.1	
			13:50-14:20	YNZKSC 20240715002-A053		16.7	133.2	-0.07	4.86	10.2	5663	33.1	
			15:00-15:30	YNZKSC 20240715002-A054		15.6	134.0	-0.06	4.82	12.3	5282	13.1	
			平均值				15.1	130.8	-0.07	4.79	11.0	5150	10.6

报告结束

附图:

大理丰顺医疗废物处置有限公司 2024 年三季度比对监测点位图



